



IJOER
RESEARCH JOURNAL

ISSN

2395-6992

International Journal of Engineering Research & Science

www.ijoer.com
www.adpublications.org

Volume-9! Issue-3! March, 2023

www.ijoer.com ! info@ijoer.com

Preface

We would like to present, with great pleasure, the inaugural volume-9, Issue-3, March 2023, of a scholarly journal, *International Journal of Engineering Research & Science*. This journal is part of the AD Publications series *in the field of Engineering, Mathematics, Physics, Chemistry and science Research Development*, and is devoted to the gamut of Engineering and Science issues, from theoretical aspects to application-dependent studies and the validation of emerging technologies.

This journal was envisioned and founded to represent the growing needs of Engineering and Science as an emerging and increasingly vital field, now widely recognized as an integral part of scientific and technical investigations. Its mission is to become a voice of the Engineering and Science community, addressing researchers and practitioners in below areas

Chemical Engineering	
Biomolecular Engineering	Materials Engineering
Molecular Engineering	Process Engineering
Corrosion Engineering	
Civil Engineering	
Environmental Engineering	Geotechnical Engineering
Structural Engineering	Mining Engineering
Transport Engineering	Water resources Engineering
Electrical Engineering	
Power System Engineering	Optical Engineering
Mechanical Engineering	
Acoustical Engineering	Manufacturing Engineering
Optomechanical Engineering	Thermal Engineering
Power plant Engineering	Energy Engineering
Sports Engineering	Vehicle Engineering
Software Engineering	
Computer-aided Engineering	Cryptographic Engineering
Teletraffic Engineering	Web Engineering
System Engineering	
Mathematics	
Arithmetic	Algebra
Number theory	Field theory and polynomials
Analysis	Combinatorics
Geometry and topology	Topology
Probability and Statistics	Computational Science
Physical Science	Operational Research
Physics	
Nuclear and particle physics	Atomic, molecular, and optical physics
Condensed matter physics	Astrophysics
Applied Physics	Modern physics
Philosophy	Core theories

Chemistry	
Analytical chemistry	Biochemistry
Inorganic chemistry	Materials chemistry
Neurochemistry	Nuclear chemistry
Organic chemistry	Physical chemistry
Other Engineering Areas	
Aerospace Engineering	Agricultural Engineering
Applied Engineering	Biomedical Engineering
Biological Engineering	Building services Engineering
Energy Engineering	Railway Engineering
Industrial Engineering	Mechatronics Engineering
Management Engineering	Military Engineering
Petroleum Engineering	Nuclear Engineering
Textile Engineering	Nano Engineering
Algorithm and Computational Complexity	Artificial Intelligence
Electronics & Communication Engineering	Image Processing
Information Retrieval	Low Power VLSI Design
Neural Networks	Plastic Engineering

Each article in this issue provides an example of a concrete industrial application or a case study of the presented methodology to amplify the impact of the contribution. We are very thankful to everybody within that community who supported the idea of creating a new Research with IJOER. We are certain that this issue will be followed by many others, reporting new developments in the Engineering and Science field. This issue would not have been possible without the great support of the Reviewer, Editorial Board members and also with our Advisory Board Members, and we would like to express our sincere thanks to all of them. We would also like to express our gratitude to the editorial staff of AD Publications, who supported us at every stage of the project. It is our hope that this fine collection of articles will be a valuable resource for *IJOER* readers and will stimulate further research into the vibrant area of Engineering and Science Research.



Mukesh Arora
(Chief Editor)

Board Members

Mr. Mukesh Arora (Editor-in-Chief)

BE (Electronics & Communication), M.Tech (Digital Communication), currently serving as Assistant Professor in the Department of ECE.

Prof. Dr. Fabricio Moraes de Almeida

Professor of Doctoral and Master of Regional Development and Environment - Federal University of Rondonia.

Dr. Parveen Sharma

Dr Parveen Sharma is working as an Assistant Professor in the School of Mechanical Engineering at Lovely Professional University, Phagwara, Punjab.

Prof. S. Balamurugan

Department of Information Technology, Kalaignar Karunanidhi Institute of Technology, Coimbatore, Tamilnadu, India.

Dr. Omar Abed Elkareem Abu Arqub

Department of Mathematics, Faculty of Science, Al Balqa Applied University, Salt Campus, Salt, Jordan, He received PhD and Msc. in Applied Mathematics, The University of Jordan, Jordan.

Dr. AKPOJARO Jackson

Associate Professor/HOD, Department of Mathematical and Physical Sciences, Samuel Adegboyega University, Ogwa, Edo State.

Dr. Ajoy Chakraborty

Ph.D.(IIT Kharagpur) working as Professor in the department of Electronics & Electrical Communication Engineering in IIT Kharagpur since 1977.

Dr. Ukar W. Soelistijo

Ph D, Mineral and Energy Resource Economics, West Virginia State University, USA, 1984, retired from the post of Senior Researcher, Mineral and Coal Technology R&D Center, Agency for Energy and Mineral Research, Ministry of Energy and Mineral Resources, Indonesia.

Dr. Samy Khalaf Allah Ibrahim

PhD of Irrigation &Hydraulics Engineering, 01/2012 under the title of: "Groundwater Management under Different Development Plans in Farafra Oasis, Western Desert, Egypt".

Dr. Ahmet ÇİFCİ

Ph.D. in Electrical Engineering, Currently Serving as Head of Department, Burdur Mehmet Akif Ersoy University, Faculty of Engineering and Architecture, Department of Electrical Engineering.

Dr. M. Varatha Vijayan

Annauniversity Rank Holder, Commissioned Officer Indian Navy, Ncc Navy Officer (Ex-Serviceman Navy), Best Researcher Awardee, Best Publication Awardee, Tamilnadu Best Innovation & Social Service Awardee From Lions Club.

Dr. Mohamed Abdel Fatah Ashabrawy Moustafa

PhD. in Computer Science - Faculty of Science - Suez Canal University University, 2010, Egypt.

Assistant Professor Computer Science, Prince Sattam bin AbdulAziz University ALkharj, KSA.

Prof.S.Balamurugan

Dr S. Balamurugan is the Head of Research and Development, Quants IS & CS, India. He has authored/co-authored 35 books, 200+ publications in various international journals and conferences and 6 patents to his credit. He was awarded with Three Post-Doctoral Degrees - Doctor of Science (D.Sc.) degree and Two Doctor of Letters (D.Litt) degrees for his significant contribution to research and development in Engineering.

Dr. Mahdi Hosseini

Dr. Mahdi did his Pre-University (12th) in Mathematical Science. Later he received his Bachelor of Engineering with Distinction in Civil Engineering and later he Received both M.Tech. and Ph.D. Degree in Structural Engineering with Grade "A" First Class with Distinction.

Dr. Anil Lamba

Practice Head – Cyber Security, EXL Services Inc., New Jersey USA.

Dr. Anil Lamba is a researcher, an innovator, and an influencer with proven success in spearheading Strategic Information Security Initiatives and Large-scale IT Infrastructure projects across industry verticals. He has helped bring about a profound shift in cybersecurity defense. Throughout his career, he has parlayed his extensive background in security and a deep knowledge to help organizations build and implement strategic cybersecurity solutions. His published researches and conference papers has led to many thought provoking examples for augmenting better security.

Dr. Ali İhsan KAYA

Currently working as Associate Professor in Mehmet Akif Ersoy University, Turkey.

Research Area: Civil Engineering - Building Material - Insulation Materials Applications, Chemistry - Physical Chemistry – Composites.

Dr. Parsa Heydarpour

Ph.D. in Structural Engineering from George Washington University (Jan 2018), GPA=4.00.

Dr. Heba Mahmoud Mohamed Afify

Ph.D degree of philosophy in Biomedical Engineering, Cairo University, Egypt worked as Assistant Professor at MTI University.

Dr. Aurora Angela Pisano

Ph.D. in Civil Engineering, Currently Serving as Associate Professor of Solid and Structural Mechanics (scientific discipline area nationally denoted as ICAR/08—"Scienza delle Costruzioni"), University Mediterranea of Reggio Calabria, Italy.

Dr. Faizullah Mahar

Associate Professor in Department of Electrical Engineering, Balochistan University Engineering & Technology Khuzdar. He is PhD (Electronic Engineering) from IQRA University, Defense View, Karachi, Pakistan.

Prof. Viviane Barrozo da Silva

Graduated in Physics from the Federal University of Paraná (1997), graduated in Electrical Engineering from the Federal University of Rio Grande do Sul - UFRGS (2008), and master's degree in Physics from the Federal University of Rio Grande do Sul (2001).

Dr. S. Kannadhasan

Ph.D (Smart Antennas), M.E (Communication Systems), M.B.A (Human Resources).

Dr. Christo Ananth

Ph.D. Co-operative Networks, M.E. Applied Electronics, B.E Electronics & Communication Engineering Working as Associate Professor, Lecturer and Faculty Advisor/ Department of Electronics & Communication Engineering in Francis Xavier Engineering College, Tirunelveli.

Dr. S.R.Boselin Prabhu

Ph.D, Wireless Sensor Networks, M.E. Network Engineering, Excellent Professional Achievement Award Winner from Society of Professional Engineers Biography Included in Marquis Who's Who in the World (Academic Year 2015 and 2016). Currently Serving as Assistant Professor in the department of ECE in SVS College of Engineering, Coimbatore.

Dr. PAUL P MATHAI

Dr. Paul P Mathai received his Bachelor's degree in Computer Science and Engineering from University of Madras, India. Then he obtained his Master's degree in Computer and Information Technology from Manonmanium Sundaranar University, India. In 2018, he received his Doctor of Philosophy in Computer Science and Engineering from Noorul Islam Centre for Higher Education, Kanyakumari, India.

Dr. M. Ramesh Kumar

Ph.D (Computer Science and Engineering), M.E (Computer Science and Engineering).

Currently working as Associate Professor in VSB College of Engineering Technical Campus, Coimbatore.

Dr. Maheshwar Shrestha

Postdoctoral Research Fellow in DEPT. OF ELE ENGG & COMP SCI, SDSU, Brookings, SD Ph.D, M.Sc. in Electrical Engineering from SOUTH DAKOTA STATE UNIVERSITY, Brookings, SD.

Dr. D. Amaranatha Reddy

Ph.D. (Postdoctoral Fellow, Pusan National University, South Korea), M.Sc., B.Sc. : Physics.

Dr. Dibya Prakash Rai

Post Doctoral Fellow (PDF), M.Sc., B.Sc., Working as Assistant Professor in Department of Physics in Pachhungga University College, Mizoram, India.

Dr. Pankaj Kumar Pal

Ph.D R/S, ECE Deptt., IIT-Roorkee.

Dr. P. Thangam

PhD in Information & Communication Engineering, ME (CSE), BE (Computer Hardware & Software), currently serving as Associate Professor in the Department of Computer Science and Engineering of Coimbatore Institute of Engineering and Technology.

Dr. Pradeep K. Sharma

PhD., M.Phil, M.Sc, B.Sc, in Physics, MBA in System Management, Presently working as Provost and Associate Professor & Head of Department for Physics in University of Engineering & Management, Jaipur.

Dr. R. Devi Priya

Ph.D (CSE), Anna University Chennai in 2013, M.E, B.E (CSE) from Kongu Engineering College, currently working in the Department of Computer Science and Engineering in Kongu Engineering College, Tamil Nadu, India.

Dr. Sandeep

Post-doctoral fellow, Principal Investigator, Young Scientist Scheme Project (DST-SERB), Department of Physics, Mizoram University, Aizawl Mizoram, India- 796001.

Dr. Roberto Volpe

Faculty of Engineering and Architecture, Università degli Studi di Enna "Kore", Cittadella Universitaria, 94100 – Enna (IT).

Dr. S. Kannadhasan

Ph.D (Smart Antennas), M.E (Communication Systems), M.B.A (Human Resources).

Research Area: Engineering Physics, Electromagnetic Field Theory, Electronic Material and Processes, Wireless Communications.

Mr. Amit Kumar

Amit Kumar is associated as a Researcher with the Department of Computer Science, College of Information Science and Technology, Nanjing Forestry University, Nanjing, China since 2009. He is working as a State Representative (HP), Spoken Tutorial Project, IIT Bombay promoting and integrating ICT in Literacy through Free and Open Source Software under National Mission on Education through ICT (NMEICT) of MHRD, Govt. of India; in the state of Himachal Pradesh, India.

Mr. Tanvir Singh

Tanvir Singh is acting as Outreach Officer (Punjab and J&K) for MHRD Govt. of India Project: Spoken Tutorial - IIT Bombay fostering IT Literacy through Open Source Technology under National Mission on Education through ICT (NMEICT). He is also acting as Research Associate since 2010 with Nanjing Forestry University, Nanjing, Jiangsu, China in the field of Social and Environmental Sustainability.

Mr. Abilash

MTech in VLSI, BTech in Electronics & Telecommunication engineering through A.M.I.E.T.E from Central Electronics Engineering Research Institute (C.E.E.R.I) Pilani, Industrial Electronics from ATI-EPI Hyderabad, IEEE course in Mechatronics, CSHAM from Birla Institute Of Professional Studies.

Mr. Varun Shukla

M.Tech in ECE from RGPV (Awarded with silver Medal By President of India), Assistant Professor, Dept. of ECE, PSIT, Kanpur.

Mr. Shrikant Harle

Presently working as a Assistant Professor in Civil Engineering field of Prof. Ram Meghe College of Engineering and Management, Amravati. He was Senior Design Engineer (Larsen & Toubro Limited, India).

Zairi Ismael Rizman

Senior Lecturer, Faculty of Electrical Engineering, Universiti Teknologi MARA (UiTM) (Terengganu) Malaysia Master (Science) in Microelectronics (2005), Universiti Kebangsaan Malaysia (UKM), Malaysia. Bachelor (Hons.) and Diploma in Electrical Engineering (Communication) (2002), UiTM Shah Alam, Malaysia.

Mr. Ronak

Qualification: M.Tech. in Mechanical Engineering (CAD/CAM), B.E.

Presently working as a Assistant Professor in Mechanical Engineering in ITM Vocational University, Vadodara. Mr. Ronak also worked as Design Engineer at Finstern Engineering Private Limited, Makarpura, Vadodara.

Table of Contents

Volume-9, Issue-3, March 2023

S. No	Title	Page No.
1	Apparanet Nutrient Digestibility and Cecal Parameters of Rabbits Fed Concentrate with Guinea Grass (<i>Panicum Maximum</i>) and Purple Velvet (<i>Gynura Aurantiaca</i>) Authors: Utchay, A.N; Ere-Richard, A. A.; George, O. S.  DOI: https://dx.doi.org/10.5281/zenodo.7785124  Digital Identification Number: IJOER-MAR-2023-4	01-06

Apparanet Nutrient Digestibility and Cecal Parameters of Rabbits Fed Concentrate with Guinea Grass (*Panicum Maximum*) and Purple Velvet (*Gynura Aurantiaca*)

Utchay, A.N¹; Ere-Richard, A. A.²; George, O. S.^{3*}

Department of Animal Science, Faculty of Agriculture, University of Port Harcourt, Port Harcourt, Rivers State

*Corresponding Author

Received: 09 March 2023/ Revised: 17 March 2023/ Accepted: 22 March 2023/ Published: 31-03-2023

Copyright @ 2023 International Journal of Engineering Research and Science

This is an Open-Access article distributed under the terms of the Creative Commons Attribution

Non-Commercial License (<https://creativecommons.org/licenses/by-nc/4.0>) which permits unrestricted Non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

Abstract— A study was conducted to determine the apparent nutrient digestibility and cecal parameters of grower rabbits fed concentrates with *Panicum maximum* and *Gynura aurantiaca*. A total of 24 New Zealand rabbits were used for the study and were randomly assigned to four (4) dietary treatments of T1, T2, T3 and T4 in a Completely Randomized Design (CRD) with six (6) animals per treatment. They were subjected to varying ration of 100% concentrates (C) for the control, 50% concentrate + 50% of *Panicum maximum* (C+G) for T2, 50% concentrate + 50% of *Gynura aurantiaca* for T3, and 50% of concentrate + 25% of *Panicum maximum* + 25% of *Gynura aurantiaca* for T4. Nutrient digestibility and cecal parameters were analyzed at the end of the experimental trial. The result from the study showed significant ($P < 0.05$) difference on crude protein digestibility, dry matter digestibility, crude fat digestibility, ash digestibility, crude fibre digestibility, and nitrogen free extract digestibility. Thus, rabbits fed 50% concentrate+25% guinea grass+25% purple velvet showed superior values for crude protein digestibility, dry matter digestibility, and nitrogen free extract digestibility, with respect to other groups. Crude fat digestibility, and crude fibre digestibility were statistically highest among rabbits fed 50% concentrate+50% purple velvet when compared to other treated groups. Also, rabbits fed the control diet and those fed 50%concentrate + 50% *Gynura aurantiaca* recorded similar values that were statistically highest when compared to others. Furthermore, the cecal pH and NH_3 were significantly ($P < 0.05$) influenced by the test diet with the superior value of cecal pH recorded among rabbits fed 50% concentrate+25% guinea grass+25% purple velvet with low values of NH_3 when compared to other treated groups. Thus, the research recommends that equal mixture of concentrate at 50%+ 25% Guinea grass +25% of *Gynura aurantiaca* in treatment 4 should be adopted due to their promising potentials from the parameters analyzed.

Keywords— Cecal parameters, Concentrate, Guinea grass, Nutrient Digestibility, Purple velvet, Rabbits.

I. INTRODUCTION

1.1 Description of problem

Rabbits have been recognized to play an important role to Nigerians especially in the rural and peri-urban areas because they have different converters of feed to meat and can utilize up to 30% crude fibre as against 10% by most poultry species (1). Despite the promising potential of the rabbit as meat and for production of animal protein, factors like scarcity of feed ingredients and poor nutrient digestibility limit their sustainability (2). As earlier reported by (3 and 4), the nutritional status from most of the conventional feed available to the rabbits have been compromised despite their rising cost. This means that the expectations from most rabbit farmers have been jeopardized owing to poor digestibility of the available nutrients. (5) buttressed that such cases make economic losses inevitable to the rabbitry owners. It's within this context that elicited an explosion of interest to search for an alternative feed source that can produce an economically viable end results in a relatively short period (6). Forages (*Panicum maximum* and *Gynura aurantiaca*) are readily available and cheap in the tropics, and rabbits, being pseudo ruminants have the ability to utilise forages for growth. (7) confirmed from his study that it was economical to raise rabbits on mixed diet of concentrate and forage. This means that it is feasible to ameliorate the menace in rabbit production by supplementing concentrates with *Panicum maximum* and *Gynura aurantiaca* that are nutritious and palatable. It is therefore within this assertion that the study was carried out. The objective of the study was to evaluate the apparent nutrient digestibility and cecal parameters of grower rabbits fed concentrates with *Panicum maximum* and *Gynura aurantiaca*.

II. MATERIALS AND METHODS

2.1 Experimental Site and durations

This study was conducted at the Rabbitry unit of University of Port Harcourt Research and Demonstration Farm, Choba, Rivers State. The experiment lasted for 8 weeks.

2.2 Experimental animal and design

Twenty four (24) breeds, eight weeks old New Zealand rabbits were purchased from Animal breeding unit, Micheal Okpara University of Agriculture, Umudike, Abia state, with an average weight of 435-438g were used in the experiment. The rabbits were randomly assigned to four dietary treatments of T1, T2, T3 and T4 in a Completely Randomized Design (CRD) with six animals per treatment and two rabbits per replicate. The rabbits were weighed at the beginning of the experiment and thereafter weekly. They were individually housed in a wire merge cages measuring 50cm×35cm×40cm (width×length×height) and equipped with feeding and watering troughs. The cages were cleaned and disinfected before the arrival of the animals.

2.3 Preparation of test ingredients

Panicum maximum and *Gynura aurantiaca* leaf were harvested from the University of Port Harcourt premises and dried over night to reduce their moisture content before feeding separately to the rabbits. Thus, the ingredients used for the formulation of the conventional feed and proximate composition of *Panicum maximum* and purple velvet is shown in Table.1 and Table 2 respectively;

The treatment diets are as follow:

T1- Solely concentrates (C) at 100%

T2- equal mixture of concentrate at 50%+ 50% of *Panicum maximum* (C+G)

T3- equal mixture of concentrate at 50%+ 50% of *Gynura aurantiaca* (C+L)

T4- 50% of concentrate + 25% of *Panicum maximum* + 25% of *Gynura aurantiaca* (C+G+L)

TABLE 1
INGREDIENTS AND CHEMICAL COMPOSITION OF CONCENTRATE FEED

Ingredients	T1
Pkc	5.00
Maize	45.00
Maize offal	7.00
Wheat bran	4.50
Soya bean meal	16.00
Groundnut cake	11.00
Fish meal	4.75
Bone meal	3.00
Salt	0.25
Methionine	0.50
Lysine	0.50
Vitamin	2.50
Total	100

2.4 Experimental feeding management

The animals were group-fed *ad libitum* solely on conventional feed in the morning (08:00 hours) while the *Panicum maximum* and *Gynura aurantiaca* leaf meals were fed in the evening (05:00hours) among rabbits in T2, T3, and T4 throughout the duration of the research.

2.5 Proximate evaluation

Analysis for dry matter (DM) was determined by oven drying all samples at 105°C for 5 hours. Ash content was determined by igniting the dry samples in a muffle furnace at 550°C for 6 hours. Analyses for crude protein, crude fat, and ether extract were determined using methods described by AOAC (8). Also, the calculation for nitrogen free extract is: % NFE = 100 % – (% EE + % CP + % Ash + % CF).

2.6 Apparent nutrient digestibility

At the end of the feeding trial, fecal droppings were collected from each treatment and used for the digestibility trial for dry matter, crude protein, crude fibre, ash and NFE were calculated according to (8).

Thus, Apparent nutrient digestibility = $\frac{\text{Quantity in feed} - \text{Quantity in faeces}}{\text{Quantity in feed}} \times 100$

2.7 Cecal parameters

4 rabbits per treatment were randomly selected from the 4 dietary groups on the last day of the experiment, slaughtered, and samples of their cecal content were collected for cecal pH and NH₃.

2.8 Statistical Analysis

All the data generated were subjected to the analysis of variance (ANOVA) using SPSS (15) Statistical Software. Significant (p<0.05) differences were separated using Duncan New Multiple Range Test. The following model was used for the research

$$Y_{ij} = \mu + D_i + e_{ij}$$

Where: Y_{ij} = Individual observation,

μ = Overall mean,

D_i = Fixed effect of ith diet effect

e_{ij} = Random error

III. RESULTS AND DISCUSSION

3.1 Proximate composition of *Gynura aurantiaca* and *Panicum maximum*

The results of the proximate composition of *Gynura aurantiaca* and *Panicum maximum* presented in Table 2. The Dry matter, crude protein, crude fat and crude fibre ranged from 94.64%-97.95%, 5.69%; 3.40% to 9.50%; and 19.20% to 57.01% respectively. The ash and nitrogen free extract ranged between 5.80% and 6.60%; and 26.05% to 53.62% respectively. The high dry matter content in *Gynura aurantiaca* and *Panicum maximum* can be attributed to rapid lignification's of carbohydrates with increase in age of the forage as affirmed by (9) and (10). The crude protein in *Panicum maximum* and *Gynura aurantiac* were within the range of crude protein of 8.75 to 18% reported for browse plant use in the experiment by (11) and (12) 5.00 - 35.00%. This showed that the test diet need could serve as a supplement to replace grain legumes in concentrate feeds or in low quality diets. The Crude fibre requirement for the rabbit from the current study was comparable to a value of 9.00 to 30.0% obtained by (12) and 9.0 to 37% reported by (13) which could be vital to enhance digestibility and decrease the blood cholesterol level. The value for crude fat for *Gynura aurantiaca* (3.40) and *Panicum maximum* (9.50) was comparable to the range of 1.5 to 12.00% reported by (11) which affirms that the test diet has the potential to provide rich source of carotene and pigment suitable in rabbit production.

TABLE 2
PROXIMATE COMPOSITION OF *GYNURA AURANTIACA* AND *PANICUM MAXIMUM*

Parameters	<i>Gynura aurantiaca</i>	<i>Panicum maximum</i>
Dry matter	97.95	94.64
Crude protein	5.69	5.69
Crude fat	3.40	9.50
Ash	5.80	6.60
Crude fibre	57.01	19.20
Nitrogen free extract	26.05	53.62

3.2 Apparent Nutrient digestibility of rabbit fed concentrate Guinea grass (*Panicum maximum*) and purple velvet forage (*Gynura aurantiaca*)

Table 3 shows the Apparent nutrient digestibility of rabbits fed concentrate, guinea grass, purple velvet forage. The result from the present study showed significant ($P < 0.05$) difference on crude protein digestibility, dry matter digestibility, crude fat digestibility, ash digestibility, crude fibre digestibility, and nitrogen free extract digestibility. Thus, rabbits fed 50% concentrate+25% guinea grass+25% purple velvet showed superior values for crude protein digestibility, dry matter digestibility, and nitrogen free extract digestibility, with respect to other groups. Crude fat digestibility, and crude fibre digestibility were statistically highest among rabbits fed 50% concentrate+50% purple velvet when compared to other treated groups. Also, rabbits fed the control diet and those fed 50%concentrate + 50% purple velvet recorded similar values that were statistically highest when compared to others. The significant ($P < 0.05$) difference obtained for nutrient digestibility in the current study corroborate with those reported by (14) fed concentrate, grass and legume combinations on performance and nutrient digestibility of grower rabbits under tropical conditions. Thus, the high digestibility of dry matter, and crude protein among rabbits fed 50% concentrate +25% guinea grass +25% purple velvet in this study indicates that the rabbits were able to utilize nutrients in the high forage and low concentrate combinations used for their growth. This was also buttressed from the works of (14) who stated that the combinations of concentrate, grass and forage would be adequate for grower rabbits. The superior value of crude fat digestibility among rabbits fed 50% concentrate + 50% purple velvet shows that the test diet has the potential to influence their metabolic functions positively as supported by (15). The notable improvement of crude fibre digestibility among the treated groups is an indication that rabbits used in this research efficiently utilized the fibre in the diet, which also opined the works of (16) that such forages were high in non-lignified materials. Furthermore, the Nitrogen free extract (NFE) digestibility was also better among rabbits in the control group and those fed 50% concentrate+25%guinea grass+25% purple velvet which could be attributed to high fibre content in the diet as there is considerable extraction of energy from the fibrous feeds that could satisfy their energy requirement.

TABLE 3
APPARENT NUTRIENT DIGESTIBILITY OF RABBIT FED CONCENTRATE GUINEA GRASS (*PANICUM MAXIMUM*) AND PURPLE VELVET FORAGE (*GYNURA AURANTIACA*)

Parameters	T1	T2	T3	T4	SEM
Crude protein digestibility	32.02 ^c	125.69 ^b	53.11 ^c	282.88 ^a	7.92
Dry matter digestibility	28.52 ^d	30.17 ^c	32.80 ^b	35.17 ^a	0.06
Crude fat digestibility	53.45 ^b	32.49 ^c	95.18 ^a	23.09 ^d	2.25
Ash digestibility	123.24 ^a	78.06 ^c	130.62 ^a	94.82 ^b	3.82
Crude fibre digestibility	68.38 ^c	140.22 ^b	229.58 ^a	141.51 ^b	22.02
NFE digestibility	80.40 ^a	66.10 ^b	51.91 ^c	81.82 ^a	3.29

^{a,b}Means within each rows that are significantly ($P < 0.05$) different among the treated groups.

3.3 Cecal parameters of rabbits fed concentrates Guinea grass (*Panicum maximum*) and purple velvet forage (*Gynura aurantiaca*)

The result of cecal nitrogen of rabbit fed concentrates Guinea grass (*Panicum maximum*) and purple velvet (*Gynura aurantiaca*) forage was shown in Table 4. Result from the current study showed that cecal pH and NH₃ were significantly ($P<0.05$) influenced by the test diet. Thus, cecal pH was statistically highest among rabbits fed 50% concentrate + 25% *Panicum maximum* + 25% purple velvet with decreasing levels of NH₃ with respect to other treatment combinations. Thus, the significant ($P<0.05$) difference on Cecal pH and NH₃ from the current study was in tandem with the works of (17) who affirmed similar results on cecal parameters of rabbits fed diets containing foliage and browse plants but disagree with the reports of (18) who reported that pH and ammonia values in rabbits did not differ significantly ($p>0.05$) among all treatments supplemented with forages. This significant increase in pH may be due to the glucosinolates content which represent an important class of organic compounds of sulfur and nitrogen in guinea grass and purple velvet which submit the digestion of gastrointestinal conditions as pH, temperature, enzyme and chemical conditions (19). However, the decline of NH₃-N with 50% concentrate + 25 % guinea grass + 25% purple velvet with increased levels of pH was consistent with those reported by (20) who recorded that the values of rumen pH and TVFAs concentration were increased, and the concentration of NH₃-N was decreased with the increase of forage supplementation compared with the control lambs. This shows that Guinea grass (*Panicum maximum*) and purple velvet forage has the potential of absorbing ammonia for efficient use.

TABLE 4
CECAL PARAMETERS OF RABBITS FED CONCENTRATES GUINEA GRASS (*PANICUM MAXIMUM*) AND PURPLE VELVET FORAGE (*GYNURA AURANTIACA*)

Parameters	T1	T2	T3	T4	SEM
Cecal Ph	6.90 ^b	6.50 ^c	7.00 ^b	7.30 ^a	0.02
NH ₃	4.30 ^a	4.00 ^b	3.80 ^c	3.60 ^c	0.01

^{a,b} Means within each rows showing different superscript differ significantly ($P<0.05$)

IV. CONCLUSION AND APPLICATION

The result from the present study showed that

1. The experimental diet possesses adequate nutrient to support the well-being of the rabbits.
2. Guinea grass (*Panicum maximum*) and purple velvet (*Gynura aurantiaca*) forage recorded an improved dry matter digestibility, crude protein digestibility, crude fat digestibility, crude fibre digestibility, crude ash digestibility, and NFE digestibility.
3. 50% concentrate+25%guinea grass+25% purple velvet increased the cecal pH with decreasing levels of NH₃.
4. The research recommends that equal mixture of concentrate at 50%+ 25% Guinea grass +25% of Purple velvet in treatment 4 should be adopted due to their promising potentials from the parameters analyzed.

REFERENCES

- [1] Mailafia, S.1, Onakpa, M.M. and Owoleke O.E., (2010). Problems and prospects of rabbit production in Nigeria – A review. Bajopas, 3(2):135-138.
- [2] Oseni SO, Ajayi BA, Komolafe SO, Siyanbola O, Ishola M and Madamidola G (2008). Smallholder rabbit production in Southwestern Nigeria: Current status, emerging issues and ways forward. 9th World Rabbit Congress – June 10-13, 2008 – Verona – Italy. 1597-1601.
- [3] Ahaotu, E., Ekenyem, B., Agiang, E., Balakrishnan, V., and Madubuike, F.(2010). "Effects of dietary substitution of rubber seed cake for groundnut cake on the body conformations of finisher broilers," Animal Production Research Advances,6:49-52, 2010.
- [4] Adeyemi, I.G., and Soetan, K.O.(2018). Preliminary Investigation of Some Serum Biochemical Parameters of Confined Nigerian Cattle Breeds in Ibadan, South-West Nigeria Fed with Some Conventional and Non-Conventional Feedstuffs. Food Science, Quality and Management, 77, 59–65.
- [5] Khuc, H. T., and Preston, T. R.(2006) "Effect of different sources of supplementary fibre on growth of rabbits fed a basal diet of fresh water spinach (*Ipomoea aquatica*)," Livestock Research for Rural Development, 18:58.

- [6] Adedeji, O., Amao, S., Ameen, S., Adedeji, T., and Ayandiran, T. (2013). "Effects of varying levels of *Leucaena Leucocephala* leaf meal diet on the growth performance of weaner rabbit," *Journal of Environmental Issues and Agriculture in Developing Countries*, 5, :5-9,
- [7] Farinu, G. O. (1994). Effects of feeding a compound diet based on non-conventional feedstuffs on growth and carcass characteristics of rabbits. *World Rabbit Science.*, 2: 123-126.
- [8] AOAC, (2005). Official methods of analysis. Association of Official Analytical Chemists, Washington D.C., USA . 48.
- [9] Ayssiwede, S. B., Dieng, A., Chrysostome, C., Ossebi, W., Hornick, J. L., and Missohou, A. (2010). Digestibility and metabolic utilization and nutritional value of *Leucaena leucocephala* (Lam.) leaves meal incorporated in the diets of indigenous Senegal chickens. *International Journal Poultry Science*, 9:767–776.
- [10] Thanh, T. X., Hue K. T., Anh N. N. and Preston T. R. (2013). Comparison of different forages as supplements to a basal diet of chopped cassava stems for growing goats. *Livestock Research for Rural Development*. Volume 25, Article #7. Retrieved May 26, 2016, from http://www.lrrd.org/lrrd25/1/than2_5007.htm.
- [11] Abejeshi, I. M., Okwori, A. I., Shaahu, D. T., and Enaku, O. O. (2018). Effect of feeding some evergreen tropical browse plant leaves on performance, digestibility and economic analysis of growing rabbits. *Nigerian Journal of Animal Science* 20 (1) 200-211.
- [12] Cheeke, P.R. and Shull, L. R. (1984). Natural Toxicants in feeds and livestock. AVI publishing Incorporated, West port, Connecticut.
- [13] Shane G. (2012). Composition of some Livestock Feeds. University of Arkansas Cooperative Extension Service Printing Services.
- [14] Iyeghe-Erakpotobor, G. T., Aliyu, R., and Uguru, J. (2006). Evaluation of concentrate, grass and legume combinations on performance and nutrient digestibility of grower rabbits under tropical conditions, *African Journal of Biotechnology*, 4 (20):2004-2008.
- [15] Akaeze, N.C., Nwokoro, S.O., and Imasuen, J.A. (2014) Performance of growing rabbits offered rubber leaf protein replacement for soyabean meal. *Nigerian Journal of Agriculture. Food and Environment* 10: 55-59.
- [16] Cheeke PR, Grobner MA, Patton NM (1986). Fibre digestion and utilization in rabbits. *J. Appl. Rabbit Res.* 9(1):25-30.
- [17] Abu-Hasafa, S.H., Salem, A.Z.M., Hassan, A.A., Kholiff, A.E., Barbossa, A.A., and Lopez, S. (2016). Digestion, growth parameters, ceca fermentation of growing rabbits fed diets containing foliage and browse plants. *World rabbit science*, 24:283-293.
- [18] Mohammed, A., and Musa, T. (2021). Review on Copper's Functional Roles, Copper X Mineral Interactions Affecting Absorption, Tissue Storage, and Cu Deficiency Swayback of Small Ruminants. *ARC Journal of Animal and Veterinary Sciences (AJAVS)* 2, 1–14.
- [19] Vallejo, F., A. Gil-Izquierdo, A., Pérez-Vicente, and García-Viguera, C. (2004). In vitro gastrointestinal digestion study of broccoli inflorescence phenolic compounds, glucosinolates and vitamin C. *Journal. Agricultural. Food Chemistry.*, 14, 52(1): 135-138.
- [20] Mahmoud, M.M. and Yasmin (2016). Using broccoli plant wastes in sheep rations. *Egyptian J. Nutrition and Feeds.*, 19 (2):277–287.



AD Publications

**Sector-3, MP Nagar, Bikaner,
Rajasthan, India**

www.adpublications.org, info@adpublications.org